



## AIR RELEASE VALUE APPARATUS

To determine the ability of turbine, hydraulic or lubricating oil to separate entrained air in applications where agitation causes a dispersion of air bubbles in the oil.

Confirms to : **ASTM D 3427, IP 313, DIN 51381, NF E 48-614**

Consists of

- Glass test vessel with baffle.
- Air flow control equipment for delivering heated air at the specified pressure.
- Digital density balance with stand and sinker to directly measure the density value.
- Digital constant temperature circulating bath with pump of flow rate 10 LPM
- Platinum wire for sinker suspension
- Moisture trap



### OPTIONAL ACCESSORIES

- ASTM 12C Thermometer
- III Party Calibration Certificates
- Drying Oven
- Spare test vessel
- Spare Sinker
- 110V Operation

DESIGNED & MANUFACTURED BY:



# Culture Instruments

Office: # 37, III MAIN ROAD, VYALIKAVAL, BANGALORE - 560 003. (INDIA)

PH: 91-080-23349239 / 23449007

Email: [cultureinstruments@gmail.com](mailto:cultureinstruments@gmail.com) / [sales@technoinstruments.co.in](mailto:sales@technoinstruments.co.in)

Website: [www.technoinstruments.co.in](http://www.technoinstruments.co.in)

Works: D-428, 10th MAIN ROAD, PEENYA 2nd STAGE, P.I.A, BANGALORE - 560 058.

\* Products & Design Subject To Change Without Prior Notice.